	Application No.	Annlicentic
Notice of Allowability	Application No.	Applicant(s)
	10/504,397	KNUTTEL, ALEXANDER
	Examiner	Art Unit
	Patrick J. Connolly	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>07 August 2006</u> .		
2. The allowed claim(s) is/are <u>1-11</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
-		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amendr	
Paper No./Mail Date See Continuation Sheet  4. Examiner's Comment Regarding Requirement for Deposit	8.   Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9.  Other	

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 10.12.2004; 08.11.2004 .

Art Unit: 2877

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Walter Hackler on September 19, 2005.

The application has been amended as follows:

The last line of claim 1 on page 2 of the specification now reads:

"detector (25), by which a wavelength-dependent separation of the"

## **DETAILED ACTION**

## Allowable Subject Matter

## Claims 1-11 allowed.

The following is an examiner's statement of reasons for allowance:

As to claim 1, the prior art of record, taken alone or in combination, fails to disclose or render obvious a low coherence interferometric apparatus for scanning an object including: a variable wavelength selection device is positioned in the light path of the detection light between the beam junction and the detector, by which a wavelength-dependent separation of the detection light is performed in such a manner that the detector selectively receives preferably light with wavelengths which correspond to a predetermined sequence of wavenumbers k, and different sequences of wavenumbers k can be set for varying the scan position along the scan path, in combination with the other limitations of claim 1.

Application/Control Number: 10/504,397 Page 3

Art Unit: 2877

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J. Connolly whose telephone number is 571.272.2412. The examiner can normally be reached on 9:00 am - 7:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571.272.2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PJC Dic 09.19.2006